

# FloraLife® BOTRYTISBLOC BUNDLE

Postharvest treatment for the  
control of Botrytis on cut Roses



TREAT



[www.FloraLife.com](http://www.FloraLife.com)



**DESCRIPTION:** FloraLife® BotrytisBloc Bundle is designed to control Botrytis during postharvest phase. This bundle is core to many postharvest protocols and a valuable tool to reduce our waste footprint in the supply chain.

**CATEGORY:** Treat

**USE:** Cut Roses

**BENEFITS:**

- Controls Botrytis.
- Longer vase-life for cut flowers.
- Reduces waste in the supply chain.

**WHO:** Growers

**WHY:**

- An assurance that freighted flowers arrive protected from Botrytis damage.
- Ensures positive consumer experience, leading to repeat purchases.
- Less customer complaints.

**INFORMATION:**

- WHO class III Slightly hazardous: limited PPE required for mixing and application.
- SDS available on request.
- For professional use and postharvest use only.

Item Code	Product
#80-87001	FloraLife® BotrytisBloc Bundle

**DOSING:**

**Application recommendation for FloraLife® BotrytisBloc Bundle**

FloraLife® BotrytisBloc Bundle	Rate per Litre	Rate in 100L drum
Curatin 430 SC	0.5ml	50ml
CoverMax	0.25ml	25ml
FloraLife® AddIn	2.5g	250g (1 cup)

**Refer to individual product labels for full information.**

**To make 100L solution:**

- Measure 50ml Curatin 430 SC, 25ml CoverMax, 250g FloraLife® AddIn solution.
- Take caution not to exceed the dose of products.
- Add measured products into 100L of water in a drum (use clean water suitable for postharvest treatments).
- Mix solution in the drum, mix well before use.
- If used as a dip, flower heads/ buds are submerged into the FloraLife® BotrytisBloc Bundle solution (for at least 10 seconds) while turning gently to ensure full coverage for effective treatment. The excess solution can then be drained and the flowers processed under standard conditions.